

ELBALLERGE

Fexofenadine Hydrochloride



ELBALLERGE

Fexofenadine Hydrochloride

Unique Formula

Novel Nano Drug Delivery Platform (NNDPs)
Fexofenadine Microemulsion



Ensures Rapid
absorption
& better
bioavailability.

Enhances
therapeutic
efficacy.

In

Seasonal Allergic Rhinitis.

Chronic Idiopathic Urticaria.

* Thakur et al. Current Drug Delivery, 2021, Vol. 18, No. 0.

* Suhail et al. Frontiers in Nanotechnology, November 2021 | Volume 3 | Article 754889.



ELBALLERGE

Fexofenadine Hydrochloride

Nonsedating, Nonimpairing
Selective H1-receptor antagonist

Effective Relief of:

Sneezing

**Itchy Nose, Palate,
Throat & Ears**

Rhinorrhea

**Itchy, Watery,
Red eye**

**Nasal
Congestion**



* Wahn et al. Fexofenadine is efficacious and safe in children (aged 6-11 years) with seasonal allergic rhinitis, J Allergy Clin Immunol, volume 111, number 4, april 2003.

* Meltzer et al. Safety and efficacy of oral fexofenadine in children with seasonal allergic rhinitis a pooled analysis of three studies, Pediatr Allergy Immunol 2004; 15: 253-260.

ELBALLERGE

Fexofenadine Hydrochloride

Greater Treatment Satisfaction

Efficacy

Fexofenadine effectively reduces all symptoms of AR, including nasal congestion.

Fexofenadine significantly reduces pruritus & the number of wheals.

Tolerability

Fexofenadine displays no sedative properties in children.

School Performance

Fexofenadine was not associated with any objective/subjective performance, or cognitive / academic impairment.

Impact on Sleep

Night-time use of Fexofenadine does not disrupt sleep and is not associated with an antihistamine hangover.



ELBALLERGE

Fexofenadine Hydrochloride



Indicated for:

Relief of symptoms associated with seasonal allergic rhinitis in children 2 to 11 years of age.*

- Sneezing
- Rhinorrhea
- Itchy nose/palate/throat
- Itchy/watery/red eyes.

Treatment of uncomplicated skin manifestations of chronic idiopathic urticaria in children 6 months to 11 years of age.*

- Pruritus & the number of wheals.

* Fexofenadine Hydrochloride monograph.



Full product information is available on request at:
APEX Pharma S.A.E
Plot No. 226 - the second sector - city center
Fifth settlement - New Cairo -
Cairo - Egypt



For allergic rhinitis and seasonal allergic rhinitis:

- Children 2 to 11 years of age
- Take 30mg twice daily when required.

For Urticaria:

- Children (aged 6 to 23 months): 15 mg twice daily when required.
- Children 2 to 11 years of age: 30 mg twice daily when required.

One dose lasts a full 12 hours.

Once daily in renal impairment.



Full product information is available on request at:
APEX Pharma S.A.E
Plot No. 226 - the second sector - city center
Fifth settlement - New Cairo -
Cairo - Egypt